

PRODUCT INFORMATION AND SPECIFICATION SHEET

CLASSIQUE KEYPADS – 207 MM



CLASSIQUE KEYPADS – 207 MM || PRODUCT INFORMATION

DESCRIPTION

Classique collection push buttons and toggles for use with lighting control / home automation systems. Compatible systems include Crestron, Control4, Lutron HomeWorks, Savant and Vantage.

Made in France.

PERSONALIZED PLATE DETAILS

FINISHES

Cover plates are made-to-order in any of the finishes included in the [Meljac Finish Catalog](#). Meljac offers over 30 finishes in materials including chrome, copper, gunmetal, nickel, brass and bronze.

Powdercoating is available in any specification from the [RAL Color Chart](#).

Custom-matched finish options are also available, dependent upon project size and finish details.

MECHANISM OPTIONS

Low-voltage momentary dry contact toggles and push buttons for use in class-2 wiring circuits only.

- BP - Momentary Push Button ("normally-open"). One contact closure.
- INV - Three-position toggle switch, returns to center position. Two contact closures ("UP" and "DOWN").
- INV M - Three position latching toggle switch. Switch can rest up at "UP" contact, center "OFF", or "DOWN" contact. Two maintained contact closures.

Mechanisms can be combined and configured according to project control needs.

Note: Additional low-voltage control options available. Contact MNA for more information.

MECHANISM FINISH

- Chrome - default for copper, chrome, nickel and gunmetal plates
- Brass - default for brass and bronze plates
- Black Chrome - premium option
- Matched to plate finish - premium option; see [Finish Catalog](#) for available finishes.

SCREW TYPE	EDGE TYPE	LED FEEDBACK	ENGRAVINGS
• Visible - Torx Head • Visible - Slot Head • Hidden	• Beveled • Straight	• 3 mm or 8 mm LED Indicators • Backlit Engravings • 12V or 24V remote power required.	Default: 3 mm / Arial Font / Mechanical Style 9 characters per line + 2 lines per mechanism See MNA Engraving Options for more details.

BACK BOX

Recommended: MELUS20782 metal new construction box

Alternate Option: MEL20580 plastic cut-in box

See [Plate Size and Back Box Guide](#) for options.

CERTIFICATION

Conforms to UL 916 and CSA-C22.2 No. 205-12 IP20




CARE / CLEANING INSTRUCTIONS

To protect the integrity of the finish, no chemicals or cleaning solutions should ever be used. Dry dust rags or microfiber cloths only.

CLASSIQUE KEYPADS – 207 MM || DIMENSIONAL DRAWINGS

DIMENSIONAL DRAWINGS

Measurements: mm (inches)




CLASSIQUE KEYPADS – 207 MM || MOUNTING DRAWINGS

BACK BOX

MELUS20782

See our [Plate Size & Back Box Reference Guide](#) for more information.



CLASSIQUE KEYPADS – 207 MM || SPECIFICATION SHEET

PROJECT NAME: _____

SPECIFIER: _____

PLATE FINISH: _____

SCREW TYPE Select one ☐ Visible - Torx Head ☐ Visible - Slot Head ☐ Hidden	PLATE ORIENTATION Select one ☐ Vertical ☐ Horizontal	EDGE TYPE Select one ☐ Beveled ☐ Straight	BACK BOX Select one ☐ MELUS20782 (metal / new construction) ☐ MEL20580 (plastic cut-in box)
--	--	---	---

MECHANISMS

MECHANISM (TOGGLE / PUSH BUTTON) FINISHES Select one

- ☐ Chrome - default finish for chrome, copper, gunmetal and nickel plates
- ☐ Brass - default finish for brass and bronze plates
- ☐ Black Chrome - premium option
- ☐ Matched to plate finish - premium option; see [Finish Catalog](#) for available finishes.

TOGGLE / PUSH BUTTON CONFIGURATIONS Select one

☐ 1 BP	☐ 2 BP	☐ 3 BP	☐ 4 BP	☐ 5 BP	☐ 6 BP	☐ 8 BP	☐ 9 BP	☐ 10 BP	☐ 12 BP
☐ 1 INV	☐ 2 INV	☐ 3 INV	☐ 4 INV	☐ 4 INV	☐ 5 INV	☐ 6 INV	☐ 7 INV	☐ 8 INV	☐ 10 INV

Notes:

- Buttons and toggles can also be combined on a single plate
- Vertical configurations may also be specified with a horizontal plate orientation.
- If an alternate configuration is desired, please contact Meljac North America for confirmation.

CLASSIQUE KEYPADS – 207 MM || SPECIFICATION SHEET CONTINUED

ENGRAVINGS

PLACEMENT Select one

- ☐ Above Mechanism
- ☐ Below Mechanism
- ☐ No Engravings

STYLE Select one

- ☐ Mechanical
- ☐ Resin-filled: RAL Color _____
- ☐ Screen-Printed
- ☐ Back-lit

FONT Select one

- ☐ Arial
- ☐ Helvetica
- ☐ Custom _____

SIZE Select one

- ☐ 3 mm
- ☐ 3.5 mm
- ☐ 4 mm
- ☐ Custom _____